## **Author Index**

Adamson, A.H., see Givens, D.I., et al.
Akiba, Y., Hah, T.W., Murakami, H., Horiguchi, M. and Yamazaki, M.
Metabolizable energy value and effect on amino acid availability of medium-chain
triglycerides in diets fed to chickens of different ages
Akin, D.E., Rigsby, L.L., Hanna, W.W. and Lyon, C.E.
In vitro digestion and textural strength of rind and pith of normal and brown midrib
stems
Anderson, D.M., see Donovan, B.C., et al.
Ashbell, G., see Meeske, R., et al.
Babatunde, G.M., see Fajimi, A.O., et al.
Beames, R.M., see Eggum, B.O., et al.
Bell, J.M. and Keith, M.O.
Nutritional evaluation of linseed meals from flax with yellow or brown hulls, using
mice and pigs
Bruchem, J., see Kaitho, R.J., et al.
Castaing, J., see Metayer, J.P., et al.
Cilliers, J.W. and Van der Merwe, H.J.
Relationships between chemical components of veld herbage and in vitro digestibility
and estimated intakes of dry matter and digestible dry matter by sheep and cattle 151
Datta, F.U., see Eggum, B.O., et al.
De Wit, J., see Schiere, J.B., et al.
Dobos, R.C., see Nandra, K.S., et al.
Dolores Megías, M., Martínez-Teruel, A., Gallego, J.A. and Núñez, J.M.
Chemical changes during the ensiling of orange peel
Donovan, B.C., McNiven, M.A., Van Lunen, T.A., Anderson, D.M. and MacLeod, J.A.
Replacement of soyabean meal with dehydrated lupin seeds in pig diets
Eggum, B.O., Tomes, G., Beames, R.M. and Datta, F.U.
Protein and energy evaluation with rats of seed from 11 lupin cultivars
Fajimi, A.O., Babatunde, G.M., Ogunlana, F.F. and Oyejide, A.
Comparative utilization of rubber seed oil and palm oil by broilers in a humid tropical
environment
Flachowsky, G., Peyker, W., Schneider, A. and Henkel, K.
Fibre analyses and in sacco degradability of plant fractions of two corn varieties
harvested at various times
Gallego, J.A., see Dolores Megías, M., et al.
Givens, D.I., Moss, A.R. and Adamson, A.H.
The digestion and energy value of whole crop wheat treated with urea
Grosjean, F., see Metayer, J.P., et al.
Hah, T.W., see Akiba, Y., et al.
Hanna, W.W., see Akin, D.E., et al.
Hayat, J., Savage, T.F. and Mirosh, L.W.
The reproductive performance of two genetically distinct lines of Medium White
turkey hens when fed breeder diets with and without a yeast culture containing
Saccharomyces cerevisiae

## **Author Index**

Adamson, A.H., see Givens, D.I., et al.
Akiba, Y., Hah, T.W., Murakami, H., Horiguchi, M. and Yamazaki, M.
Metabolizable energy value and effect on amino acid availability of medium-chain
triglycerides in diets fed to chickens of different ages
Akin, D.E., Rigsby, L.L., Hanna, W.W. and Lyon, C.E.
In vitro digestion and textural strength of rind and pith of normal and brown midrib
stems
Anderson, D.M., see Donovan, B.C., et al.
Ashbell, G., see Meeske, R., et al.
Babatunde, G.M., see Fajimi, A.O., et al.
Beames, R.M., see Eggum, B.O., et al.
Bell, J.M. and Keith, M.O.
Nutritional evaluation of linseed meals from flax with yellow or brown hulls, using
mice and pigs
Bruchem, J., see Kaitho, R.J., et al.
Castaing, J., see Metayer, J.P., et al.
Cilliers, J.W. and Van der Merwe, H.J.
Relationships between chemical components of veld herbage and in vitro digestibility
and estimated intakes of dry matter and digestible dry matter by sheep and cattle 151
Datta, F.U., see Eggum, B.O., et al.
De Wit, J., see Schiere, J.B., et al.
Dobos, R.C., see Nandra, K.S., et al.
Dolores Megías, M., Martínez-Teruel, A., Gallego, J.A. and Núñez, J.M.
Chemical changes during the ensiling of orange peel
Donovan, B.C., McNiven, M.A., Van Lunen, T.A., Anderson, D.M. and MacLeod, J.A.
Replacement of soyabean meal with dehydrated lupin seeds in pig diets
Eggum, B.O., Tomes, G., Beames, R.M. and Datta, F.U.
Protein and energy evaluation with rats of seed from 11 lupin cultivars
Fajimi, A.O., Babatunde, G.M., Ogunlana, F.F. and Oyejide, A.
Comparative utilization of rubber seed oil and palm oil by broilers in a humid tropical
environment
Flachowsky, G., Peyker, W., Schneider, A. and Henkel, K.
Fibre analyses and in sacco degradability of plant fractions of two corn varieties
harvested at various times
Gallego, J.A., see Dolores Megías, M., et al.
Givens, D.I., Moss, A.R. and Adamson, A.H.
The digestion and energy value of whole crop wheat treated with urea
Grosjean, F., see Metayer, J.P., et al.
Hah, T.W., see Akiba, Y., et al.
Hanna, W.W., see Akin, D.E., et al.
Hayat, J., Savage, T.F. and Mirosh, L.W.
The reproductive performance of two genetically distinct lines of Medium White
turkey hens when fed breeder diets with and without a yeast culture containing
Saccharomyces cerevisiae

Hendry, A., see Nandra, K.S., et al.
Henkel, K., see Flachowsky, G., et al.
Horiguchi, M., see Akiba, Y., et al.
Huisman, J., see Jansman, A.J.M., et al.
Hüter, J., see Pallauf, J., et al.
Jansman, A.J.M., Verstegen, M.W.A. and Huisman, J.
Effects of dietary inclusion of hulls of faba beans (Vicia faba L.) with a low and high
content of condensed tannins on digestion and some physiological parameters in
piglets
Kaitho, R.J., Tamminga, S. and Bruchem, J.
Rumen degradation and in vivo digestibility of dried Calliandra calothyrsus leaves 19
Keith, M.O., see Bell, J.M., et al.
Kipnis, T., see Meeske, R., et al.
Lyon, C.E., see Akin, D.E., et al.
MacLeod, J.A., see Donovan, B.C., et al.
Martínez-Teruel, A., see Dolores Megías, M., et al.
McNiven, M.A., see Donovan, B.C., et al.
McNiven, M.A., see Robinson, P.H., et al.
Meeske, R., Ashbell, G., Weinberg, Z.G. and Kipnis, T.
Ensiling forage sorghum at two stages of maturity with the addition of lactic acid
bacterial inoculants
Metayer, J.P., Grosjean, F. and Castaing, J.
Study of variability in French cereals
Mirosh, L.W., see Hayat, J., et al.
Moss, A.R., see Givens, D.I., et al.
Murakami, H., see Akiba, Y., et al.
Nandra, K.S., Hendry, A. and Dobos, R.C.
A study of voluntary intake and digestibility of roughages in relation to their
degradation characteristics and retention time in the rumen
Nell, A.J., see Schiere, J.B., et al.
Núñez, J.M., see Dolores Megías, M., et al.
Ogunlana, F.F., see Fajimi, A.O., et al.
Oosting, S.J. and Waanders, A.
The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat
straw by goats
Oyejide, A., see Fajimi, A.O., et al.
Pallauf, J. and Hüter, J.
Studies on the influence of calcium formate on growth, digestibility of crude nutrients,
nitrogen balance and calcium retention in weaned piglets
Peyker, W., see Flachowsky, G., et al.
Rigsby, L.L., see Akin, D.E., et al.
Robinson, P.H. and McNiven, M.A.
Nutritive value of raw and roasted sweet white lupins (Lupinus albus) for lactating
dairy cows
Savage, T.F., see Hayat, J., et al.
Schiere, J.B. and De Wit, J.
Feeding standards and feeding systems
Schiere, J.B. and Nell, A.J.
Feeding of urea treated straw in the tropics. I. A review of its technical principles and
economics

Schneider, A., see Flachowsky, G., et al. Tamminga, S., see Kaitho, R.J., et al. Tomes, G., see Eggum, B.O., et al. Van der Merwe, H.J., see Cilliers, J.W., et al.	
Van Houtert, M.F.J.  The production and metabolism of volatile fatty acids by ruminants fed roughages: A review	189
Van Lunen, T.A., see Donovan, B.C., et al. Verstegen, M.W.A., see Jansman, A.J.M., et al. Waanders, A., see Oosting, S.J., et al. Weinberg, Z.G., see Meeske, R., et al. Yamazaki, M., see Akiba, Y., et al.	

